



Pedestal for one or two chargers

General Data	
Part Number	ALFAPS2C5D
Range	alfaCharge
Material	GI Zero Spangle
Ambient temperature range	-30°C~ +60°C
Corosion resistance	C5
Degree of protection	IP55
Color	Standard- ANSI 61 / Optional - As per request
Pedestal Dimension (mm)	1450*270*120
Weight (kg)	16.3kg
Base plate Dimension (mm)	400*240*10
Canpoy	Optional
Mounting	Floor Mount
Cooling	Natural



Pedestal for one charger with protection

General Data	
Part Number	ALFAPS1C5D
Range	alfaCharge
Material	GI Zero Spangle
Ambient temperature range	-30°C~ +60°C
Corosion resistance	C5
Degree of protection	IP55
Color	Standard- ANSI 61 / Optional - As per request
Pedestal Dimension (mm)	1450*270*120
Weight (kg)	16.3kg
Base plate Dimension (mm)	400*240*10
Canpoy	Optional
Mounting	Floor Mount
Cooling	Natural
Overcurrent & Short circuit	C40A 4 Pole MCB
Leakage current protection	30mA,40A, 4Pole Type-A, RCD



Pedestal for two chargers with protection

General Data	
Part Number	ALFAPS2C5D
Range	alfaCharge
Material	GI Zero Spangle
Ambient temperature range	-30°C~ +60°C
Corosion resistance	C5
Degree of protection	IP55
Color	Standard- ANSI 61 / Optional - As per request
Pedestal Dimension (mm)	1450*270*120
Weight (kg)	16.3kg
Base plate Dimension (mm)	400*240*10
Canpoy	Optional
Mounting	Floor Mount
Cooling	Natural
Overcurrent & Short circuit	2*C40A 4 Pole MCB
Leakage current protection	2*30mA,40A, 4Pole Type-A, RCD